

74c
NOT
LATE

NOYES & NUTTER MANUFACTURING COMPANY



BANGOR, MAINE

CATALOGUE

NOYES & NUTTER MANUFACTURING COMPANY

1912

FRANK C. NOYES, Pres.

GEORGE H. NUTTER, Treas.

Established 1836
Incorporated 1891

Foundry on Dutton Street
Office and Salesrooms: 112 Broad Street
BANGOR, MAINE

F O R E W O R D

IN presenting to the trade our Catalogue of Furnaces, Ranges, Stoves, Sinks, Hollow Ware, etc., etc., we desire to give you something which will be a help in ordering goods. We wish you to bear in mind the fact that a personal examination of the goods themselves will give you a better idea of the quality and workmanship of all goods of our manufacture, no matter how nearly perfect the illustrator's art is.

RODMAG
11 14 15


C O N T E N T S

	PAGE
Crown Kineo Furnace	5
Regal Kineo Furnace	6
Kineo Oak Furnace	7
Triangular Grate and Steel Radiator	8
Kineo Wood Furnace, Steel Radiator	9
Kineo Wood Furnace, Cast Radiator	10
Kineo Wood Furnace, Brick Set	11
Large Steel Radiator	12
Kineo Cast Radiator	13
Water Log	14
No. 8 King Kineo Range with Gas Attachment	15
No. 8 King Kineo Range with Reservoir and Elevated Closet	16
No. 8 King Kineo Range with Reservoir and Elevated Shelf	17
No. 8 King Kineo Range with Elevated Shelf	18
No. 8 King Kineo Range	19
No. 8 Pearl Kineo Range with Reservoir and Elevated Shelf	20
No. 8 Pearl Kineo Range with Elevated Shelf	21
No. 8 Pearl Kineo Range	22
No. 8 Star Kineo Range with Reservoir and Elevated Shelf	23
No. 8 Star Kineo Range with Elevated Shelf	24
No. 8 Star Kineo Range	25
No. 8 Kineo "B" Range with Reservoir	26
Range Coal Grates	27
Brass Coils	28
No. 9 Woodsman	29
No. 8 Dirigo	30
No. 8 Magnet and Reservoir	31
No. 8 Magnet	32
No. 7 Arctic	33
Kineo Coal Parlor, Plain Style	34
Kineo Coal Parlor, Ornamental Style	35

CONTENTS - CONTINUED

	PAGE
Kineo Oak	36
Kineo Franklin	37
Plain Franklin, has Folding Doors	38
Kineo Grand Wood Parlor, Plain Style	39
Kineo Grand Wood Parlor, Ornamental Style	40
Napoleon Wood Parlor	41
Cottage Wood Parlor with Sliding Doors	42
Cottage Wood Parlor with Closed Front	43
Pearl Wood Parlor with Closed Front	44
Pearl Wood Parlor with Mica Front	45
Broadside Box Stove	46
Plain Box Stove	47
Cylinder Stove, for Coal	48
Kineo Spud, Manufactured Expressly for Heating Box Cars	49
Tea Kettles	50
Pots	51
Kettles, Spiders	52
Handle and Bailed Griddles	53
Scotch Bowl, Yankee Kettle	54
Roll Pan, Dutch Oven	55
Bean Pots	56
Tank Top, Air Tight Door and Legs	57
Cast Fire Dogs, Hearth Blower	58
Woods and Large Round Bean Pots	59
Funnel Iron, Register	60
Corner Feed Box, Salt Box, Hitch Weights	61
Sinks	62
Ash Mouth, Boiler Mouth	63


CROWN KINEO FURNACE



Large Radiator, with return flue, which causes the smoke to pass entirely around it before entering the chimney. Reversible, so that smoke pipe can be taken out at different angles. Combustion chamber is large, so as to receive a Water Log that will heat 200 feet of radiation. Fire Pot in two sections. Large Ash Pit. Triangular Grate, with patented device for holding up that allows the sections to be removed independently. Lift Draft Door that can be operated by a chain from above. Water Pan and Dust Flue. (See page 14 for Water Log.)

	Height of Casting	Diameter of Radiator	Diameter of Fire Pot
No. 161	49 inches	32 inches	19 inches
No. 165	53 inches	35 inches	22 inches
No. 167	62 inches	38 inches	24½ inches


REGAL KINEO FURNACE



Portable, with Triangular Grate, Indirect Radiator, Reversible, so that Smoke Pipe can be taken out at different angles, Fire Pot in Two Sections. Large Ash Pit.

	Height of Casting	Diameter of Radiator	Diameter of Fire Pot
No. 52	49 inches	32 inches	20 inches
No. 54	51 inches	35 inches	24 inches


KINEO OAK FURNACE




Burning Wood or Coal equally well, with Double Feed Doors to admit wood when required. Grates for Wood and Coal always shipped with Furnace. Has Dock Ash Grates that can be easily removed for repairs.

	Height of Casting	Diameter of Radiator	Diameter of Fire Pot
No. 22	53 inches	35 inches	22 inches
No. 26	57 inches	39 inches	26 inches

TRIANGULAR GRATE AND STEEL RADIATOR



TRIANGULAR GRATE



STEEL RADIATOR

Used with Crown Kineo and Regal Kineo Furnaces.

KINEO WOOD FURNACE, STEEL RADIATOR



Portable, with very large Steel Radiator, Direct and Indirect Draft. Wood burns on grate, which allows ashes to be dumped into ash pit.

	Height of Casting	Size of Radiator	Length of Fire Box
No. 38	53 inches	34 x 43 inches	38 inches
No. 44	55 inches	36 x 48 inches	44 inches

KINEO WOOD FURNACE, CAST RADIATOR



Portable, with Cast Radiator, suitable for low cellars and houses that require three or four registers. Direct and Indirect Draft. Wood burns on grate, which allows ashes to be dumped into ash pit.

	Height of Casting	Size of Radiator	Length of Fire Box
No. 38	45 inches	32 x 39 inches	38 inches


KINEO WOOD FURNACE BRICK SET



Brick Set, Steel Radiator same as Portable.

	Height of Casting	Size of Radiator	Length of Fire Box
No. 38	53 inches	34 x 43 inches	38 inches
No. 44	55 inches	36 x 48 inches	44 inches

LARGE STEEL RADIATOR




Used on Kineo Wood Furnaces, Nos. 38 and 44. Portable
or Brick Set.

KINEO CAST RADIATOR




Used only on No. 38 Kineo Wood Furnace in Portable Form.

W A T E R L O G



Used with No. 167 Crown Kineo Furnace.


NO. 8 KING KINEO RANGE



With Reservoir and Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands. End Gas Oven with Broiler. End Shelf with Three Burners.

Length of Fire Box for Wood - - - 27 inches


NO. 8 KING KINEO RANGE



With Reservoir and Elevated Closet. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood - - - 27 inches

NO. 8 KING KINEO RANGE



With Reservoir and Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood - - - 27 inches

NO. 8 KING KINEO RANGE



With Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood - - - 27 inches


NO. 8 KING KINEO RANGE



Size of Oven, 20 x 20 inches. Coal or Wood. Removable
Nickel Bands.

Length of Fire Box for Wood - - - 27 inches


NO. 8 PEARL KINEO RANGE



With Reservoir and Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood - - - 25 inches


NO. 8 PEARL KINEO RANGE



With Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood . . . 25 inches


NO. 8 PEARL KINEO RANGE



Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood - - - 25 inches

NO. 8 STAR KINEO RANGE




With Reservoir and Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood . . . 22½ inches

NO. 7 STAR KINEO RANGE
SIZE OF OVEN 18 X 18 INCHES


NO. 8 STAR KINEO RANGE



With Elevated Shelf. Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood 22½ inches

NO. 8 STAR KINEO RANGE



Size of Oven, 20 x 20 inches. Coal or Wood. Removable Nickel Bands.

Length of Fire Box for Wood - - - 22½ inches

NO. 7 STAR KINEO RANGE
SIZE OF OVEN 18 X 18 INCHES


NO. 8 KINEO "B" RANGE




With Reservoir. Size of Oven, 22 x 20 inches. Coal or Wood. Plain Edge.

Length of Fire Box For Wood . . . 24½ inches

RANGE COAL GRATES



Copp Patented Grate



Plain Grate



Dock Ash Grate


King Kineo Ranges fitted with Draw-out Dock Ash or Plain Grates, as ordered.

Kineo "B" Ranges fitted with Copp or Plain Grates, as ordered.

Pearl Kineo Ranges fitted with Dock Ash or Plain Grates, as ordered.


Star Kineo Ranges fitted with Dock Ash or Plain Grates, as ordered.

B R A S S C O I L S



Small Brass Coil


In King Kineo, Pearl Kineo and Star Kineo Ranges.



Large Brass Coil

Is used in King Kineo, Kineo "B," Pearl Kineo
and Star Kineo Ranges.

NO. 9 WOODSMAN



The Stove is fitted with Tin Oven on back and large Copper Tank on top; or tank can be removed and give six nine-inch covers for boiling. Has Oven 22 x 24 inches, and receives wood 27 inches long. Just the stove for logging camps and boarding houses. Burns wood only.

NO. 8 DIRIGO



FOR WOOD

Size of Oven	-	-	-	-	-	-	-	-	22 x 20 inches
Length of Fire Box	-	-	-	-	-	-	-	-	25 inches

NO. 8 MAGNET AND RESERVOIR



FOR WOOD

Size of Oven	-	-	-	-	-	-	-	-	-	20 x 17 inches
Length of Fire Box	-	-	-	-	-	-	-	-	-	22½ inches

NO. 8 M A G N E T



FOR WOOD

Size of Oven	-	-	-	-	-	-	-	-	20 x 17 inches
Length of Fire Box	-	-	-	-	-	-	-	-	22½ inches

NO. 7 A R C T I C



FOR WOOD

Size of Oven	-	-	-	-	-	-	-	-	20 x 17 inches
Length of Fire Box	-	-	-	-	-	-	-	-	22½ inches


KINEO COAL PARLOR



Oven in top and double base which allows heat to pass under full size of ash pit. Made with plain smooth finished castings.

No. 113	Size of Inside Cylinder	-	-	-	-	13 inches
No. 115	Size of Inside Cylinder	-	-	-	-	15 inches

KINEO COAL PARLOR



Oven in top and double base which allows heat to pass under full size of ash pit.

No. 13	Size of Inside Cylinder	-	-	-	-	13 inches
No. 15	Size of Inside Cylinder	-	-	-	-	15 inches

K I N E O O A K



No. 16 For Wood or Coal

No. 18 For Wood or Coal

KINEO FRANKLIN



With Brass Corner Ornaments. Arranged with Fire Dogs,
Wood Grate or Basket Grate for Coal as ordered.

No. 16 Size of Fire Box for Wood - - - 18 inches

PLAIN FRANKLIN



For Wood. Has Folding Doors. Smoke Collar on Back or Top as ordered. Fire Dogs extra.

No. 2	Size of Fire Box	-	23 inches long x $12\frac{1}{2}$ inches deep
No. 3	Size of Fire Box	-	$29\frac{1}{2}$ inches long x $13\frac{1}{4}$ inches deep

KINEO GRAND WOOD PARLOR



Removable Nickel Band and Foot Rail, inside Guard and Fire Back, Swing Cover to admit large wood, with 8 inch kettle-hole for heating water. 6 inch Round Cast Iron Elbow extra. Made with plain smooth finished castings.

No. 130	Length of Fire Box	-	-	-	-	22 inches
No. 140	Length of Fire Box	-	-	-	-	25 inches

KINEO GRAND WOOD PARLOR



Removable Nickel Band and Foot Rail, inside Guard and Fire Back, Swing Cover to admit large wood, with 8 inch kettle-hole for heating water. 6 inch Round Cast Iron Elbow extra.

No. 30	Length of Fire Box	-	-	-	-	22 inches
No. 40	Length of Fire Box	-	-	-	-	25 inches

NAPOLEON WOOD PARLOR



Nickel Bands and Foot Rails, inside Guard and Fire Back, Swing Cover to admit large wood, with 8 inch kettle-hole for heating water. 6 inch Round Cast Iron Elbow extra.

No. 21	Length of Fire Box	-	-	-	-	21 ½ inches
No. 24	Length of Fire Box	-	-	-	-	25 inches

COTTAGE WOOD PARLOR



Sliding Doors in front. Nickel foot rail. Inside Center with
Cover extra, also 6 inch Round Cast Iron Elbow extra.

Length of Fire Box - - - - - 21 1/2 inches

COTTAGE WOOD PARLOR



Closed Front and Nickel Foot Rail. Inside Center with Cover extra, also 6 inch Round Cast Iron Elbow extra.

Length of Fire Box - - - - 21½ inches

PEARL WOOD PARLOR



Closed Front and Nickel Rail. With two 7 inch Covers for cooking purposes.

Length of Fire Box - - - - 19 inches

PEARL WOOD PARLOR



Mica Front and Nickel Foot Rail. Has two 7 inch Covers for cooking purposes.

Length of Fire Box - - - - 19 inches


BROADSIDE BOX STOVE



Swing Top and Large End Door.

	Length, Inches	Width, Inches	Height, Inches	Weight, Lbs.
No. 24	- 24	15	18	141
No. 30	- 30	17	20	182
No. 36	- 36	19	23	243

PLAIN BOX STOVE



Nos. 1 and 2 have Round Cover with Bail. Nos. 3, 4, 5, have Flat Top, with Center Piece containing 8 inch Cover which can be raised to admit large wood.

	Length, Inches	Width, Inches	Height, Inches	Weight, Lbs.
No. 1	18	8	12	57
No. 2	20	9	13	70
No. 3	24	11	14	96
No. 4	28	12	16	150
No. 5	32	14	18	192

CYLINDER STOVE



For Coal. Round Cover with Bail.

No. 3	Height	-	-	-	-	27 inches
	Diameter	-	-	-	-	14 inches
	Weight	-	-	-	-	200 pounds

K I N E O S P U D



Manufactured expressly for heating box cars, when the contents are perishable, such as potatoes, etc. Giving absolute safety to shipment and protection from fire. It is strong and durable. The legs are made so that they can be bolted to the floor, and with the addition of long rods fastened securely to sides it is impossible for heater to become dislodged from its upright position. It has a flat shaking and dumping grate.

Diameter of Stove	-	-	-	-	14 inches
Diameter of Smoke Collar	-	-	-	-	5 inches
Height of Stove	-	-	-	-	36 inches



7 inch

8 inch

9 inch

10 inch Tea Kettle with 9 inch bottom.



7 inch

8 inch

9 inch

10 inch

8 inch B Pot (a Large No. 9 with 8 inch Bottom).

10 inch B Pot (an extra Large Pot with 9 inch bottom).

KETTLES, SPIDERS



KETTLE

7 inch

8 inch

9 inch



SPIDER


7 inch

8 inch

9 inch

10 inch


HANDLE AND BAILED GRIDDLES



HANDLE GRIDDLE

8 inch Diameter

14 inch Diameter



BAILED GRIDDLE

Diameter - - - 14 inches

SCOTCH BOWL, YANKEE KETTLE



SCOTCH BOWL


No. 1	Diameter of Top	-	-	-	-	-	9½ inches
No. 2	Diameter of Top	-	-	-	-	-	10½ inches
No. 3	Diameter of Top	-	-	-	-	-	12 inches



YANKEE KETTLE

No. 1	Diameter of Top	-	-	-	-	-	8 inches
No. 2	Diameter of Top	-	-	-	-	-	8¼ inches
No. 3	Diameter of Top	-	-	-	-	-	9¾ inches

ROLL PAN, DUTCH OVEN



ROLL PAN

No. 2

No. 3



DUTCH OVEN


		Diameter, Inches	Capacity, Quarts
No. 10	-	9½	4½
No. 12	-	11	8½
No. 14	-	13½	12½
No. 16	-	15	18

B E A N P O T S



BEAN POT

No. 1	-	-	-	-	-	-	-	2 quarts
No. 2	-	-	-	-	-	-	-	3 quarts
No. 3	-	-	-	-	-	-	-	5 quarts
No. 5	-	-	-	-	-	-	-	6 quarts



SQUARE BEAN POT

Has a Sheet Iron Cover.

Medium	-	-	-	15½ x 9 x 6 inches deep
Large	-	-	-	18¼ x 13¼ x 7 inches deep


TANK TOP, AIR TIGHT DOOR AND LEGS



TANK TOP

Black or Galvanized,

7 inch, 8 inch, 9 inch




AIR TIGHT DOOR AND LEGS

Small Size.


Large Size.

CAST FIRE DOGS, HEARTH BLOWER



CAST FIRE DOGS

No. 1	Length of Feet	-	-	-	-	9	inches
No. 2	Length of Feet	-	-	-	-	11½	inches
No. 3	Length of Feet	-	-	-	-	14½	inches
No. 4	Length of Feet (extra heavy)	-	-	-	-	16	inches
No. 5	Length of Feet	-	-	-	-	24	inches



HEARTH BLOWER

Size 4 x 8 inches

WOODS AND LARGE ROUND BEAN POTS



WOODS BEAN POT

For Baking Beans in Ground with Sheet Iron Cover.
1, 1½, 2, 3, 4, 5 and 6 Gallons.



LARGE ROUND BEAN POT


Diameter of Top	-	-	-	10½ inches
Diameter of Bottom	-	-	-	8½ inches
Depth	-	-	-	9 inches
Capacity	-	-	-	12 quarts

FUNNEL IRON, REGISTER



FUNNEL IRON


Length of Flange	-	-	-	-	3 inches
5 inch	5½ inch	6 inch	7 inch		



REGISTER AND BORDER


Two Sizes of Registers	-	22 x 28 inches and 28 x 34 inches
Outside measure of 22 x 28 Register Border,		28 x 34 inches
Outside measure of 28 x 34 Register Border,		34 x 40 inches

CORNER FEED BOX, SALT BOX HITCH WEIGHTS



CORNER FEED BOX

Size, 15 x 15 inches, 9 inches deep



SALT BOX

For Stable Use

10½ x 8 inches, 4 inches deep



15 pounds




20 pounds



27 pounds

HITCH WEIGHTS

S I N K S



Eight Sizes, each Sink having Heavy Beaded Edge.

24 x 16 x 4 inches

30 x 18 x 4 inches

36 x 20 x 4½ inches

42 x 22 x 5 inches


48 x 23 x 5 inches

54 x 23 x 5 inches

60 x 28 x 5¼ inches

72 x 23½ x 5¼ inches

ASH MOUTH, BOILER MOUTH



ASH MOUTH

No. 00	-	5 x 7 inches	No. 1	-	10 1/2 x 13 inches
No. 0	-	7 x 10 inches	No. 1 1/2	-	9 x 12 1/2 inches
No. 2	-	-	-	-	11 x 14 inches



BOILER MOUTH

No. 0	-	-	-	-	8 x 9 inches
No. 1	-	-	-	-	10 1/2 x 13 inches
No. 1 1/2	-	-	-	-	9 x 12 1/2 inches
No. 2	-	-	-	-	11 x 14 inches
No. 2 1/2 (heavy)	-	-	-	-	11 1/2 x 14 inches

